

**ALWAYS
CHOOSE SMART**

DECORATIVE LAMP/LIGHTS






Pendant lamp series



Pendant lamp series





HENG TIAN · 013



WATTS: 5W
Sizes:15,20,30,40,50,60,70CM



WATTS: 7W
Sizes: 30,50,100cm



WATTS: 1W/3W
Sizes:10,15,20cm

WATTS: 2W
Sizes: 8,10,15,20cm




WATTS: 2W/4W
Sizes:14.5,23cm



WATTS: 1.5W
Sizes: 6/8cm



IP Rating:IP65
Sizes:5/10cm



IP Rating:IP65
Sizes:5/8cm

WATTS: 3W
Sizes:200mm



WATTS: 3W
Sizes:350mm



WATTS: 3W
Sizes:200mm



IP Rating:IP65
Sizes:24/40/50/60cm



IP Rating:IP65
Sizes: Customizable



WATTS: 3W
Sizes:150mm



WATTS: 3W
Sizes:600mm



WATTS: 3W
Sizes:28*29*15cm



IP Rating:IP65
Sizes: 18cm



WATTS: 3W
Sizes:40*400mm



WATTS: 3W
Sizes:200mm






WATTS: 3W
Sizes:W300mm



WATTS: 12W
Sizes:W3000 H800mm



WATTS: 8*1W
Voltage:12V
Sizes:40/60cm

WATTS: 8*1W
Voltage:12V
Sizes:40/60cm

WATTS: 8*1W
Voltage:12V
Sizes:40/60cm

WATTS: 8*1W
Voltage:12V
Sizes:40/60cm



WATTS: 12W
Sizes:W3000 H800mm



WATTS: 8*1W
Voltage:12V
Sizes:40/60cm

WATTS: 8*1W
Voltage:12V
Sizes:40/60cm

WATTS: 8*1W
Voltage:12V
Sizes:40/60cm

WATTS: 8*1W
Voltage:12V
Sizes:40/60cm



WATTS: 3W
Voltage:220V
Sizes: 300m

WATTS: 3W
Voltage:220V
Sizes: 350-480m



Pendant lamp series



WATTS: 1.6W
Voltage: 220/24V
Sizes: 650mm



WATTS: 0.2W
Voltage: 24V
Sizes: 120/700mm



WATTS: 0.5W
Voltage: 12V
Sizes: 600mm



WATTS: 1W
Voltage: 24V
Sizes: 800mm



WATTS: 3W
Voltage: 12V
Sizes: 800mm




WATTS: 3W
Voltage: 12V
Sizes: 800mm



Voltage:24V
Sizes: 800mm



Voltage:12V
Sizes: 80/100/150/300*650mm



WATTS:0.2W
Voltage:220V
Sizes: 80*650mm



WATTS:0.5W
Voltage:12V
Sizes: 250*750mm



Voltage:12V
Sizes: 400*1000*12mm



Voltage:12V/RGB
Sizes: 20/25*900mm



WATTS:0.2W/0.3W
Voltage:12V
Sizes: 60*686mm



WATTS: 6W
Voltage:24V
Sizes: 1000*500-1000mm



Voltage:12V
Sizes: 20/25*90mm



WATTS:15W
Voltage:24V
Sizes: 1100mm



WATTS: 6W
Voltage:24V
Sizes: 1000*500-1000mm



WATTS: 1W
Voltage:24V
Sizes:300*950mm



Modeling Animal Lamp series










Modeling lamp series
















Custom landscape
modeling lamp



















Interactive lighting device







CAST LIGHT SERIES

HT-TG-600



SIZE:L600*W420*H250mm
power:120*1w
light angLe:8/15/30/45
IP rating:IP67

1800-6500K RGB RGBW

HT-TG-601

SIZE:L300*W200*H216mm
power:24*4w
light angLe:8/15/30/45
IP rating:IP67



1800-6500K RGB RGBW



HT-TG-609

1800-6500K RGB RGBW

SIZE:D130*H176mm
power:12*1/18W
light angle:15/30/45/60
IP rating:IP67



HT-TG-610

1800-6500K RGB RGBW

SIZE:D190*H223mm
power:12*1/36W
light angle:15/30/45/60
IP rating:IP67



HT-TG-602



1800-6500K RGB RGBW

SIZE:59*41*31.5cm
power:600W
light angle:15/30/45/60/90
IP rating:IP66

HT-TG-603



1800-6500K RGB RGBW

SIZE:76*48*31.5
power:800W
light angle:15/30/45/60/90
IP rating:IP66

HT-TG-604



1800-6500K RGB RGBW

SIZE:76*53.5*31.5
power:1000W
light angle:15/30/45/60/90
IP rating:IP66

HT-TG-605



1800-6500K RGB RGBW

SIZE:76*59*31.5cm
power:1200W
light angle:15/30/45/60/90
IP rating:IP66



HT-TG-617

1800-6500K RGB RGBW

SIZE:D395*H256MM

power:48W

light angle:15/30/45/60

IP rating:IP66



HT-TG-606

1800-6500K RGB RGBW

power:60W

light angle:8/15/30/45

IP rating:IP67



HT-TG-607

1800-6500K RGB RGBW

power:120W

light angle:8/15/30/45

IP rating:IP67



HT-TG-608

1800-6500K RGB RGBW

power:214W

light angle:8/15/30/45

IP rating:IP67



WALL WASHING LAMP SERIES

HT-XQ-W01



SIZE:L1000*W45*H33m
power:18W
light angle:30
Lamp Colour:Full colour/White/blue/yellow/green/red
IP rating:IP66




HT-XQ-W02
1800-6500K RGB RGBW

SIZE:L1000*W45*H33m
power:18W/36W
light angle:10*60/15*45/10*40
Lamp Colour:Full colour/White/blue/yellow/green/red
IP rating:IP66



HT-XQ-W03
1800-6500K RGB RGBW

SIZE:L1000*W35*H23m
power:18W/36W
light angle:10*60/15*45/10*40
Lamp Colour:Full colour/White/blue/yellow/green/red
IP rating:IP66



HT-XQ-W04
红/绿/蓝/紫 1800-6500K RGB RGBW

SIZE:L1000*W122*H95m
power:48-144W
light angle:10*60/15*45/10*40
Lamp Colour:Full colour/White/blue/yellow/green/red
IP rating:IP66

SOFTLIGHT SERIES

HT-SD-U10



SIZE:W160*H150m
power:6W
light angle:8/15/30/45
IP rating:IP66

1800-6500K RGB RGBW

HT-SD-U11



SIZE:W210*H215m
power:12W
light angle:8/15/30/45
IP rating:IP66

1800-6500K RGB RGBW



HT-SD-U15

1800-6500K RGB RGBW

SIZE:W150*H250mm
power:24W
light angle:8/15/30/45
IP rating:IP67



HT-SD-U17

1800-6500K RGB RGBW

SIZE:850*H50mm
power:3-5W
light angle:8/15/30/45
IP rating:IP67



HT-SD-U16

1800-6500K RGB RGBW

SIZE:W190*H290mm
power:36W
light angle:8/15/30/45
IP rating:IP67



HT-SD-U18

1800-6500K RGB RGBW

SIZE:870*700mm
power:6-9W
light angle:8/15/30/45
IP rating:IP67



LINE LAMP SERIES

HT-XT-Q702

1800-6500K RGB RGBW

SIZE:L1000*W30*H20mm
power:12W
light angle:120
Lamp Colour:Full colour/White/blue/yellow/green/red
IP rating:IP65



HT-XT-Q700



SIZE:L1000*W20*H35mm
power:12W
light angle:120
Lamp Colour:Full colour/White/blue/yellow/green/red
IP rating:IP65

1800-6500K RGB RGBW

HT-XT-Q703

1800-6500K RGB RGBW



SIZE:23*26*1000mm
power:12W
light angle:120
Lamp Colour:Full colour/White/blue/yellow/green/red
IP rating:IP65

HT-XT-Q701



SIZE:L1000*W30*H42mm
power:12W
light angle:120
Lamp Colour:Full colour/White/blue/yellow/green/red
IP rating:IP65

1800-6500K RGB RGBW

HT-XT-Q704

1800-6500K RGB RGBW

SIZE:L1000*W29*H34.5mm
power:12W
light angle:120
Lamp Colour:Full colour/White/blue/yellow/green/red
IP rating:IP65



Structural waterproof
private formwork

Wall series

HT-BD-P22

1800-6500K RGB RGBW

SIZE:L125*W125*H149mm
power:16*1/16*1.5W
light angle:15/30/45/60
IP rating:IP65



HT-BD-P23

1800-6500K RGB RGBW

SIZE:L150*W150*H176mm
power:24*1/24*1.5W
light angle:15/30/45/60
IP rating:IP65



HT-BD-P20

1800-6500K RGB RGBW

SIZE:D95*H209mm
power:12*1/12*1.5W
light angle:8/15/30/45
IP rating:IP66



HT-BD-P21

1800-6500K RGB RGBW

SIZE:D130*H267mm
power:24W
light angle:8/15/30/45
IP rating:IP66



HT-BD-P24

1800-6500K RGB RGBW

SIZE:D130*H146mm
power:12*1/12*2W
light angle:15/30/45/60
IP rating:IP66



HT-01

SIZE:W120*H90mm
power:5W,6W,9W
Voltage:24v



HT-02


SIZE:L195*W195*H280mm
power:16*3W
Voltage:24v



HT-03

SIZE:W140*H70mm
power:7W
Voltage:24v

PLUG IN LAMP SERIES



HT-CD-V500

1800-6500K RGB RGBW

SIZE:W150*56*406mm
power:7W
Voltage:24v
Angle:8/15/30/45




HT-CD-V510

1800-6500K RGB RGBW

SIZE:W190*56*445mm
power:36W
Voltage:24v
Angle:8/15/30/45

PROJECTOR MODULE SERIES



HT-TG-21

1800-6500K RGB RGBW

SIZE:510*350*335mm
power:16*6W
light angle: 15/30/45/90
IP rating:IP66



HT-TG-22

1800-6500K RGB RGBW

SIZE:585*400*335mm
power:24W
light angle: 15/30/45/90
IP rating:IP66



HT-TG-23

1800-6500K RGB RGBW

SIZE:705*480*335mm
power:36*6W
light angle: 15/30/45/90
IP rating:IP66



HT-TG-27

1800-6500K RGB RGBW

SIZE:L465*W145*H164mm
power:60W
light angle: 8/15/30/45
IP rating:IP67



HT-TG-28

1800-6500K RGB RGBW

SIZE:L610*W145*H164mm
power:9*3*4W
light angle: 8/15/30/45
IP rating:IP67



HT-TG-29

1800-6500K RGB RGBW

SIZE:L610*W145*H164mm
power:6*3*4W
light angle: 8/15/30/45
IP rating:IP67



HT-TG-30

1800-6500K RGB RGBW

SIZE:L465*W345*H214mm
power:9*3*6W
light angle: 8/15/30/45
IP rating:IP67



